




CITY OF MONROE SAFE HARBOR TRUST 2-LOT

RECEIVED
02/12/2020
CITY OF MONROE



VICINITY MAP



LEGAL DESCRIPTION

PER CHICAGO TITLE, CERT. # 500094368
 LOT 1, CITY OF MONROE BOUNDARY LINE ADJUSTMENT NO. BA200202, RECORDED UNDER AUDITOR'S FILE NUMBER 200302195003, BEING A PORTION OF LOT 3, FIRTH PLACE, ACCORDING TO THE PLAT THEREOF, RECORDED IN VOLUME 54 OF PLATS PAGES 66 AND 67, IN SNOHOMISH COUNTY, WASHINGTON AND AS AMENDED BY THAT INSTRUMENT UNDER AUDITOR'S FILE NUMBER 200301075005, RECORDS OF SNOHOMISH COUNTY SITUATE IN THE COUNTY OF SNOHOMISH, STATE OF WASHINGTON.

SURVEY NOTES

1. TOPOGRAPHY BASED ON PUGET SOUND LIDAR CONSORTIUM DATA FROM SNOHOMISH COUNTY 05-06 DATA SET
2. SITE BOUNDARY BASED ON HISTORICAL SURVEY DATA
3. EXISTING ON-SITE AND OFF-SITE DATA BASED ON AERIALS, CITY GIS AND SITE VISIT

CIVIL ENGINEER

DAVID HARMSEN, PE
 HARMSEN, LLC
 125 EAST MAIN STREET, SUITE 104
 P.O. BOX 516
 MONROE, WA 98272
 (360) 794-7811
 davidh@harmseilc.com

LAND SURVEYOR

SCIPIO WALTON
 HARMSEN, LLC
 125 EAST MAIN STREET, SUITE 104
 P.O. BOX 516
 MONROE, WA 98272
 (360) 794-7811
 skipw@harmseilc.com

OWNER / APPLICANT

GARY HAJEK, TRUSTEE
 SAFE HARBOR TRUST
 23505 165TH AVE. SE
 MONROE, WA 98272
 (360) 794-3664

CONTACT

DARIAN CALDWELL
 HARMSEN, LLC
 125 EAST MAIN STREET, SUITE 104
 P.O. BOX 516
 MONROE, WA 98272
 (360) 794-7811
 darianc@harmseilc.com

SITE INFORMATION

TAX PARCEL	008106-000-003-00
SITE ADDRESS	15922 175TH DR SE MONROE, WA 98272
ZONING	SFR-15 DU/AC (R15)
COMP PLAN	HIGH DENSITY SFR
USE CLASSIFICATION	SINGLE FAMILY RESIDENTIAL
PROPERTY SIZE (TOTAL)	6,617 SF (.15 AC)
JURISDICTION	CITY OF MONROE
NUMBER OF LOTS	2 LOTS
DWELLING UNITS / ACRE	12 DU/AC
AVERAGE LOT SIZE	3,309 SF
SEWER SERVICE	CITY OF MONROE SEWER & WATER
WATER SERVICE	CITY OF MONROE SEWER & WATER



REVISIONS

ENGINEERS
 SURVEYORS

HARMSEN
 ENGINEERS
 SURVEYORS
 125 EAST MAIN STREET, SUITE 104
 P.O. BOX 516
 MONROE, WA 98272



SAFE HARBOR TRUST 2-LOT
 15922 175TH DR SE
 MONROE, WA 98272

PRELIMINARY PLAT
 PRELIMINARY SITE PLAN

DATE:

JOB #:

19-318



Know what's below.
 Call before you dig.

P1.0

SECTION 02, TOWNSHIP 27 NORTH, RANGE 06 EAST, W.M.

GENERAL NOTES:


1. ALL WORK AND MATERIALS SHALL BE IN ACCORDANCE WITH THE WASHINGTON STATE DEPARTMENT OF TRANSPORTATION/AMERICAN PUBLIC WORKS ASSOCIATION 2016 STANDARD SPECIFICATIONS FOR ROAD, BRIDGE, AND MUNICIPAL CONSTRUCTION, AND THE CITY OF MONROE ENGINEERING STANDARDS.
2. ALL CONSTRUCTION IS SUBJECT TO THE INSPECTION BY THE CITY OF MONROE ENGINEERING INSPECTOR OR DESIGNATED REPRESENTATIVE.
3. PRIOR TO ANY CONSTRUCTION IT SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO OBTAIN ALL REQUIRED PERMITS AND SCHEDULE A PRECONSTRUCTION MEETING BY CONTACTING THE PUBLIC WORKS DEPARTMENT AT 360-863-4545.
4. APPROXIMATE LOCATIONS OF EXISTING UTILITIES HAVE BEEN OBTAINED FROM AVAILABLE RECORDS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ADDITIONAL UTILITIES NOT SHOWN SO AS TO AVOID DAMAGE OR DISTURBANCE. CONTACT ONE-CALL (1-800-424-5555) FOR UTILITY LOCATIONS. THE OWNER OR HIS REPRESENTATIVE, AND THE CITY OF MONROE SHALL BE CONTACTED IMMEDIATELY IF A UTILITY CONFLICT EXISTS.
5. APPROVED COPIES OF THESE PLANS SHALL BE ON THE JOB WHENEVER CONSTRUCTION IS IN PROGRESS.
6. IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR AND ENGINEER TO KEEP AS CONSTRUCTED INFORMATION DURING THE PROJECT. A MYLAR RECORD DRAWING MUST BE SUBMITTED TO THE CITY OF MONROE PRIOR TO FINAL ACCEPTANCE.
7. THE CONTRACTOR SHALL VERIFY THE LOCATION, WIDTHS, THICKNESSES, AND ELEVATIONS OF ALL EXISTING PAVEMENT AND STRUCTURES THAT ARE TO INTERFACE WITH NEW WORK. PROVIDE ALL TRIMMING, CUTTING, GRADING, LEVELING, SLOPING, COATING, AND OTHER WORK, INCLUDING MATERIALS AS NECESSARY, TO CAUSE THE INTERFACE WITH EXISTING WORKS TO BE ACCEPTABLE TO THE CITY ENGINEER.
8. ALL TRAFFIC CONTROL IN THE CITY OF MONROE RIGHT-OF-WAY SHALL CONFORM TO THE MOST RECENT WASHINGTON STATE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.
9. NOTE: THIS PROJECT MAY BE CONSTRUCTED IN PHASES. AREAS NOT UNDER CONSTRUCTION ARE TO EITHER REMAIN VEGETATED OR HYDROSEED TO MITIGATE EROSION AND SEDIMENTATION IMPACTS.
10. ALL UTILITIES SHALL BE INSTALLED UNDERGROUND.
11. THE MAILBOX LOCATIONS ON SITE SHALL BE APPROVED BY THE POSTMASTER.
12. CONTRACTORS SHALL MAINTAIN FOUR FEET OF CLEARANCE FROM ELECTRICAL VAULTS.
13. INSTALL TEN GAUGE INSULATED LOCATE WIRE ON ALL UNDERGROUND NON-METALLIC PIPE.

TEMPORARY EROSION & SEDIMENTATION CONTROL NOTES:

1. ALL TEMPORARY EROSION AND SEDIMENT CONTROL (TESC) MEASURES SHALL BE INSTALLED BY THE CONTRACTOR PRIOR TO ANY GRADING OR LAND CLEARING IN ACCORDANCE WITH THE APPROVED TESC PLAN. THESE FACILITIES MUST BE MAINTAINED DAILY UNTIL FINAL APPROVAL BY THE CITY INSPECTOR.
2. THE TESC FACILITIES SHOWN ON THIS PLAN ARE THE MINIMUM REQUIREMENTS FOR ANTICIPATED SITE CONDITIONS. DURING THE CONSTRUCTION PERIOD, THESE TESC FACILITIES SHALL BE UPGRADED (E.G. ADDITIONAL SUMPS, RELOCATION OF DITCHES AND SILT FENCES, ETC.) AS NEEDED FOR UNEXPECTED STORM EVENTS.
3. ALL VEHICLES LEAVING THE SITE ONTO PUBLIC RIGHT-OF-WAY SHALL BE CLEANED TO PREVENT TRACKING OF MUD, DIRT, AND OTHER DEBRIS.
4. THE CONTRACTOR SHALL SWEEP STREETS AT LEAST DAILY OR MORE FREQUENTLY AS MAY BE NECESSARY AND SO DIRECTED BY THE CITY OF MONROE. DUST CONTROL ON SITE WILL BE REQUIRED.
5. INSTALL INLET PROTECTION AT DOWNSTREAM CATCH BASIN GRATES AND AT CATCHBASINS INSTALLED ON-SITE PER DETAIL 1/C2.0.
6. POLLUTED WATER MAY NOT BE PUMPED INTO THE CITY OR PRIVATE STORM SYSTEM.
7. ALL DISTURBED AREAS SUCH AS RETENTION FACILITIES, ROADWAY BACK-SLOPES, ETC. SHALL BE SEEDED WITH A PERENNIAL GROUND COVER TO MINIMIZE EROSION. GRASS SEEDING WILL BE DONE USING AN APPROVED HYDROSEEDER. IMMEDIATELY FOLLOWING FINISH GRADING, PERMANENT VEGETATION CONSISTING OF RAPID, PERSISTENT AND LEGUME WILL BE APPLIED AT A MINIMUM #80 PER ACRE. THIS IS TO INCLUDE THE FOLLOWING: 20% ANNUAL, PERENNIAL OR HYBRID RYE GRASS, 40% CREEPING RED FESCUE, 40% WHITE CLOVER, HYDROSEED REQUIRED.
8. ALL EROSION CONTROL ON SITE MUST COMPLY WITH THE DEPARTMENT OF ECOLOGY STORMWATER MANUAL FOR WESTERN WASHINGTON, 2012 EDITION.
9. EROSION AND SEDIMENTATION CONTROL DEVICES SHALL BE INSPECTED AT REGULAR INTERVALS FOR DAMAGE AND SEDIMENT ACCUMULATION. AT A MINIMUM, THE FACILITIES SHALL BE INSPECTED WEEKLY AND IMMEDIATELY AFTER ANY RUNOFF PRODUCING RAIN EVENT. INSPECTIONS SHALL TAKE PLACE AT THE END OF EACH WORK WEEK AND ANY NEEDED REPAIRS OR MAINTENANCE SHALL BE COMPLETED BEFORE THE JOB IS SHUT DOWN FOR THE WEEKEND. INSPECTIONS SHALL CONTINUE AT THESE INTERVALS DURING PERIODS OF WORK STOPPAGES OR UNTIL PERMANENT VEGETATION IS ESTABLISHED.
10. CONTRACTOR SHALL REMOVE EROSION AND SEDIMENTATION CONTROL DEVICES WHEN CONSTRUCTION IS COMPLETE.
11. FROM OCTOBER 1 TO APRIL 30, EXPOSED SOILS TO BE LEFT UNWORKED FOR MORE THAN 2 DAYS SHALL BE STABILIZED. OTHERWISE SOILS TO BE LEFT UNWORKED FOR 7 DAYS SHALL BE STABILIZED.

SITE CALCULATIONS

NEW IMPERVIOUS	2,282 SF
REPLACED IMPERVIOUS	781 SF
NEW + REPLACED IMPERVIOUS	3,063 SF
 DISTURBANCE AREA	 7,000 SF



GRADING QUANTITIES


CUT	50 CY's
FILL	50 CY's

SOILS NOT USED FOR BACKFILL WILL BE SPREAD OVER LOTS ON SITE, OR HAULED TO A CITY APPROVED SITE.

REVISIONS

HARMSEN ENGINEERS SURVEYORS
 (360) 794-7811
 (206) 343-5903
 FAX: (360) 805-9732

HARMSEN
 125 EAST MAIN STREET, SUITE 104
 P.O. BOX 516
 MONROE, WA 98272





SAFE HARBOR TRUST 2-LOT
 15922 175TH DR SE
 MONROE, WA 98272
 PRELIMINARY PLAT
 DEMO AND SWPP PLAN

DATE: 1-10-2020
 JOB #: 19-318



P2.0

SECTION 02, TOWNSHIP 27 NORTH, RANGE 06 EAST, W.M.



1 DOWNSPOUT INFILTRATION TRENCH
SCALE: 1" = 3'
DOE Figure V-4.1

REVISIONS

HARMSEN
ENGINEERS
SURVEYORS
125 EAST MAIN STREET, SUITE 104
P.O. BOX 516
MONROE, WA 98272
(360) 794-7811
(206) 343-5903
FAX: (360) 805-9732



SAFE HARBOR TRUST 2-LOT
15922 175TH DR SE
MONROE, WA 98272
PRELIMINARY PLAT
TARGETED DRAINAGE PLAN

DATE: 1-10-2020

JOB #: 19-318



P3.0